

## - LOCAL PUBLIC HEALTH

LOCAL PUBLIC HEALTH FUNDING  
(funding data not available)

## NATALITY

TOTAL LIVE BIRTHS	170		Birth Order	Births	Percent	Marital Status of Mother	Births	Percent
Crude Live Birth Rate	8.6		First	63	37	Married	122	72
General Fertility Rate	56.3		Second	58	34	Not married	48	28
			Third	29	17	Unknown	0	0
Live births with reported congenital anomalies	6	. %	Fourth or higher	20	12			
			Unknown	0	0			
Delivery Type	Births	Percent	First Prenatal Visit	Births	Percent	Education of Mother	Births	Percent
Vaginal after previous cesarean	11	6	1st trimester	145	85	Elementary or less	0	0
Forceps	1	1	2nd trimester	14	8	Some high school	24	14
Other vaginal	135	79	3rd trimester	6	4	High school	48	28
Primary cesarean	17	10	No visits	3	2	Some college	54	32
Repeat cesarean	6	4	Unknown	2	1	College graduate	44	26
Other or unknown	0	0				Unknown	0	0
Birth Weight	Births	Percent	Number of Prenatal Care visits	Births	Percent	Smoking Status of Mother	Births	Percent
<1,500 gm	1	0.6	No visits	3	2	Smoker	40	24
1,500-2,499 gm	7	4.1	1-4 visits	3	2	Nonsmoker	129	76
2,500+ gm	162	95.3	5-9 visits	24	14	Unknown	1	1
Unknown	0	0.0	10-12 visits	66	39			
			13+ visits	72	42			
			Unknown	2	1			
Race of Mother	Total Births Births Percent		Low Birth Weight (under 2,500 gm) Births Percent			Trimester of First Prenatal Visit		
White	132 78		8 6.1			1st Trimester	2nd Trimester	Other/Unknown
Black	1 1		* .			Births Percent	Births Percent	Births Percent
Other	37 22		. .			120 91	8 6	4 3
Unknown	0 0		. .			* .	* .	* .
			. .			24 65	6 16	7 19
			. .			. .	. .	. .
Age of Mother	Fertility Births Rate		Low Birth Weight (under 2,500 gm) Births Percent			Trimester of First Prenatal Visit		
<15	0 --		. .			1st Trimester	2nd Trimester	Other/Unknown
15-17	7 .		. .			Births Percent	Births Percent	Births Percent
18-19	7 .		1 14.3			. .	. .	. .
20-24	43 113		. .			4 57	2 29	1 14
25-29	43 122		1 2.3			6 86	1 14	. .
30-34	45 106		4 8.9			32 74	6 14	5 12
35-39	19 .		1 5.3			39 91	. .	4 9
40+	6 .		1 16.7			42 93	3 7	. .
Unknown	0 --		. .			17 89	1 5	1 5
			. .			5 83	1 17	. .
			. .			. .	. .	. .
Teenage Births	14 .							

\* - Not reported. Age or race category has less than 5 births

## ----- MORBIDITY -----

## REPORTED\* CASES OF SELECTED DISEASES

Disease	Number
Campylobacter Enteritis	<5
Giardiasis	0
Hepatitis Type A	0
Hepatitis Type B**	0
Hepatitis NANB/C***	0
Legionnaire's	0
Lyme	<5
Measles	0
Meningitis, Aseptic	0
Meningitis, Bacterial	0
Mumps	0
Pertussis	0
Salmonellosis	<5
Shigellosis	<5
Tuberculosis	<5

\* 1999 provisional data

\*\* Includes all positive HBsAg test results

\*\*\* Unavailable at time of printing

Sexually Transmitted Disease

Chlamydia Trachomatis	21
Genital Herpes	7
Gonorrhea	.
Nongonococcal Cervicitis	.
Nongonococcal Urethritis	0
Syphilis	0

## ----- IMMUNIZATIONS -----

## Children in Grades K-12 by Compliance Level

Compliant	3,298
Non-compliant	24
Percent Compliant	99.3

## ----- MORTALITY -----

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

<b>TOTAL DEATHS</b>	263
Crude Death Rate	1,336

Age	Deaths	Rate
1-4	.	.
5-14	.	.
15-19	.	.
20-34	4	.
35-54	17	.
55-64	20	718
65-74	55	2,136
75-84	75	4,760
85+	90	16,697

Infant

Mortality	Deaths	Rate
Total Infant	2	.
Neonatal	2	.
Postneonatal	.	.
Unknown	.	.

Race of Mother

White	1	.
Black	.	.
Other	1	.
Unknown	.	.

Birth Weight

<1,500 gm	1	.
1,500-2,499 gm	.	.
2,500+ gm	1	.
Unknown	.	.

Perinatal

Mortality	Deaths	Rate
Total Perinatal	3	.
Neonatal	2	.
Fetal	1	.

Selected Underlying Cause	Deaths	Rate
Heart Disease (total)	90	457
Ischemic heart disease	.	.
Cancer (total)	63	320
Trachea/Bronchus/Lung	.	.
Colorectal	6	.
Female Breast	5	.*
Cerebrovascular Disease	22	112
Lower Resp. Disease	.	.
Pneumonia & Influenza	5	.
Injuries	4	.
Motor vehicle	2	.
Diabetes	7	.
Infectious & Parasitic	3	.
Suicide	1	.

\* Rate for female breast cancer based on female population.

## ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	6	.
Other Drugs	2	.
Both Mentioned	.	.

## ----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	Persons Killed
Total Crashes	278	5
Alcohol-Related	69	3
With Citation:		
For OWI	92	0
For Speeding	31	0
Motorcyclist	13	0
Bicyclist	1	0
Pedestrian	4	0

## ----- HOSPITALIZATIONS -----

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Injury-Related: All</b>						<b>Alcohol-Related</b>					
Total	219	11.1	3.9	\$9,861	\$110	Total	166	8.4	4.7	\$4,442	\$37
<18	20	5.2	2.2	\$10,797	\$56	18-44	90	16.1	4.1	\$3,918	\$63
18-44	53	9.5	4.0	\$10,055	\$95	45-64	64	11.6	5.4	\$4,804	\$56
45-64	43	7.8	3.5	\$9,431	\$73	<b>Pneumonia and Influenza</b>					
65+	103	22.0	4.4	\$9,758	\$214	Total	114	5.8	4.8	\$7,806	\$45
<b>Injury: Hip Fracture</b>						<18	8	.	.	.	.
Total	28	1.4	5.4	\$13,539	\$19	45-64	19	.	.	.	.
65+	27	5.8	5.2	\$13,426	\$77	65+	80	17.1	5.0	\$5	\$0
<b>Injury: Poisonings</b>						<b>Cerebrovascular Disease</b>					
Total	20	1.0	2.0	\$5,190	\$5	Total	96	4.9	3.3	\$8,549	\$42
18-44	10	.	.	.	.	45-64	24	4.3	2.8	\$8,755	\$38
<b>Psychiatric</b>						65+	70	14.9	3.5	\$8,473	\$126
Total	84	4.3	7.6	\$6,652	\$28	<b>Chronic Obstructive Pulmonary Disease</b>					
<18	16	.	.	.	.	Total	94	4.8	3.8	\$6,877	\$33
18-44	35	6.2	5.3	\$4,360	\$27	<18	9	.	.	.	.
45-64	12	.	.	.	.	18-44	10	.	.	.	.
65+	21	4.5	9.7	\$8,813	\$39	45-64	20	3.6	3.6	\$6,131	\$22
<b>Coronary Heart Disease</b>						65+	55	11.7	4.5	\$8,416	\$99
Total	260	13.2	3.2	\$15,785	\$209	<b>Drug-Related</b>					
45-64	89	16.1	2.8	\$14,584	\$235	Total	14	.	.	.	.
65+	159	33.9	3.5	\$16,704	\$566	18-44	4	.	.	.	.
<b>Malignant Neoplasms (Cancers): All</b>						<b>Total Hospitalizations</b>					
Total	118	6.0	5.7	\$13,080	\$78	Total	3,210	163.1	3.8	\$8,435	\$1,376
18-44	5	.	.	.	.	<18	347	89.7	2.4	\$3,018	\$271
45-64	36	6.5	6.5	\$15,414	\$101	18-44	627	112.0	3.2	\$5,710	\$639
65+	76	16.2	5.5	\$12,244	\$198	45-64	726	131.5	3.8	\$9,479	\$1,247
<b>Neoplasms: Female Breast (rates for female population)</b>						65+	1,510	322.0	4.4	\$10,309	\$3,320
Total	16	.	.	.	.	<b>----- PREVENTABLE HOSPITALIZATIONS* -----</b>					
<b>Neoplasms: Colo-rectal</b>						Total	457	23.2	3.7	\$6,504	\$151
Total	18	.	.	.	.	<18	38	9.8	1.8	\$2,120	\$21
65+	14	.	.	.	.	18-44	46	8.2	2.8	\$5,062	\$42
<b>Neoplasms: Lung</b>						45-64	81	14.7	3.7	\$6,375	\$94
Total	20	1.0	5.4	\$10,414	\$11	65+	292	62.3	4.2	\$7,337	\$457
<b>Diabetes</b>						* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 1999 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.					
Total	28	1.4	4.6	\$9,286	\$13						
65+	12	.	.	.	.						